



# Cesium Chloride

## 99.999

<b>Formula</b>	CsCl
<b>Purity</b>	min. 99.999% (metal base)
<b>Product number</b>	424032
<b>CAS-No.</b>	[7647-17-8]
<b>Appearance</b>	colourless, crystalline and hygroscopic substance
<b>Formula weight</b>	168.36
<b>Density</b>	3.988 g/cm <sup>3</sup>
<b>Solubility</b>	191 g in 100 g H <sub>2</sub> O at 25°C
<b>Melting point</b>	645°C

### Chemical analysis

Li	max.	0.5 ppm
Na	max.	0.3 ppm
K	max.	1 ppm
Rb	max.	1 ppm
Ca	max.	0.5 ppm
Mg	max.	0.1 ppm
Sr	max.	1 ppm
Ba	max.	1 ppm
Al	max.	0.1 ppm
Fe	max.	0.2 ppm
Cr	max.	0.1 ppm
Mn	max.	1 ppm
Zn	max.	1 ppm
Ni	max.	0.1 ppm
SO <sub>4</sub>	max.	5 ppm
SiO <sub>2</sub>	max.	1 ppm
Pb	max.	1 ppm
insolubles	max.	25 ppm

Extinction of 50 % aqueous solution, 1 cm layer  
at 260 nm (absorption by proteins): max. 0.02  
at 280 nm (absorption by nucleic acids): max. 0.02

Deliveries are accompanied by a lot specific certificate of analysis. If any of these values is critical to your application, please let us know.

---

# Cesium Chloride

## 99.999

---

<b>Applications</b>	Cesium chloride finds use in density gradient centrifugation and in crystal growth applications.
<b>Safety and handling</b>	Cesium chloride is hygroscopic and should therefore be stored in tightly closed containers and under exclusion of moisture.
<b>Packaging</b>	Polyethylene bottles or bags with aluminium barrier in drums (fibre drums, clamping ring drums, steel drums, steel drums with polypropylene inner lining). The aluminium barrier prevents diffusion of moisture into the product. Alternative packing on request. Smaller units are available at surcharge.
<b>Transport classification</b>	Please refer to the safety datasheet of this product.
<b>Cesium product range</b>	acetate aluminium fluoride bicarbonate bromide carbonate chloride fluoride hydrogen carbonate hydroxide, aqueous solution or monohydrate iodide metal nitrate sulfate  <i>available in various grades, other products on request</i>